

PistenBully

# Sustainably good: for you and the environment!

All PistenBully vehicles are extremely robust and built to last, because we are convinced that quality always pays off. PistenBully still cut a fine figure even after many hours of work and they deserve to shine like new once again. And we don't just mean on the surface, but down to the smallest detail. All PistenBully 600 Select vehicles are completely reconditioned in-house by the original manufacturer and that includes the engines being serviced at the Mercedes-Benz factory.

Our Select concept is based on two important aspects: firstly we offer you an outstanding alternative to a new vehicle at an unbeatable price. And secondly, we see this extension of the product life cycle as an important part of our environmental and social responsibility.

Because we believe in the quality of our work, we give you a full new vehicle guarantee on your PistenBully 600 Select to ensure you are convinced by it as well.

Jens Rottmair
Chief Executive Officer

Raimund Mayer Head of Service





# PistenBully 600 Select

# Completely reconditioned, as good as new, with full new vehicle warranty

The PistenBully 600 Select offers you lots to smile about. From the high quality standard of the work and the parts used, the new vehicle warranty and the extensive equipment, to an attractive financing and service package\*.

Additionally: because the servicing work is such a lengthy process, we only sell a limited number of PistenBully 600 Select – based on the expected demand from the market. This means we can react to demand immediately without a waiting period, ensuring that a Select is always available for you.

Last but not least, the environment also benefits from PistenBully 600 Select, which is another reason to be happy, because valuable resources are conserved. The PistenBully Select concept is part of BLUE IQ — Kässbohrer Geländefahrzeug AG's philosophy designed to ensure a responsible approach to the future (see page 20 for more details).

#### TOP Cost-effective

The PistenBully premium machines in new vehicle quality are available at an extremely attractive price.

#### **TOP** Quality in every detail

PistenBully 600s are serviced in Laupheim by experienced Kässbohrer service engineers according to the highest quality criteria.

#### TOP Fully restored engine

The Mercedes-Benz engine is "factory-restored" by its manufacturer. That means: completely disassembled and all parts tested. The engine is then reassembled from scratch so it becomes "like new".

#### TOP Extensive equipment

Each of the vehicles is equipped as standard with xenon lights and solid tires for greater endurance. New combined tracks, an Alpine or ParkFlexTiller (a new tiller if built in 2007 or earlier, a reconditioned tiller if built from 2008 onwards), plus a completely reconditioned All-Way-Blade, are all included in the equipment package.

#### Tested safety

Every PistenBully 600 Select is quality tested by Kässbohrer. Before they leave the factory our PistenBully 600 Select are put through the same testing process as new vehicles.

#### **TOP** Full new vehicle warranty

PistenBully 600 Select get a full factory warranty just like all new vehicles produced in Laupheim.

#### TOP Attractive financing deals

PistenBully 600 Select not only offers a coherent overall concept, but is also particularly appealing thanks to its tailor-made financing options. In Germany, for example, with an effective interest rate from 1.99 % p.a. (for other countries on request). Let us advise you.

#### Training included

Every buyer receives a training voucher to ensure proper handling of their PistenBully 600 Select.

# PistenBully 600 Select Making new from old

#### **Appraisal**



### **Vehicle disassembly**





#### **Detailed testing report**

First the PistenBully is appraised by the workshop foreman. All technical functions are reviewed, a test report is created and the required action is defined in a to-do list in collaboration with the experts in the workshop.

#### Inspection and replacement of damaged parts

The vehicle is then fully disassembled in our specialist workshop and all the main components are replaced. All parts are tested and damaged parts are repaired. Retrofits are performed if there have been technical improvements since the vehicle was first built.

#### Fine-tuning the wear parts


High-pressure hoses and electrical connectors are also repaired during assembly.

## **General engine reconditioning**



#### Engine serviced in-house by Mercedes-Benz

The diesel engine is serviced by Mercedes-Benz and returns to us fully reconditioned — with warranty from Mercedes-Benz. The same goes for the hydraulic pumps and the planetary gear. These too are sent back to the manufacturer for a thorough overhaul.



# PistenBully 600 Select Making new from old

## **Vehicle assembly**



#### **Paint finish**




#### Completion

The vehicle is completed with new and reconditioned parts. During this process we insist on the same quality standards as for new vehicle production.

#### **New surface protection**


While that is going, on the driver's cab is repainted and the vehicle is refinished with a seamless anti-corrosive coating.

## **Cockpit overhaul**



#### **Cleaning and replacement**

The final stages complete the PistenBully 600 Select once again. The cockpit is completely cleaned. The joystick, steering wheel and any damaged parts are replaced.





#### Retrofits

The most important control element, the joystick, is replaced with a new one. Any cockpit elements that have been redesigned or improved are also replaced. The latest version of the software is installed too.

#### New driver's seat

The cab also gets a new driver's seat and new headlining – ultimately drivers should feel as comfortable in their workstation as they would in a new vehicle.

# **Completion cabin**



#### Commissioning

The fully reconditioned cab is put in place, the vehicle is filled with all the necessary supplies and then commissioned.

# **PistenBully 600 Select**

# As good as new

#### **Testing and completion**



At the end of the multi-week reconditioning process, each PistenBully 600 Select is put through its paces — just like the new vehicles — in the PistenBully test facility. The vehicle is now ready for its "second" life. Every PistenBully Select meets the highest Kässbohrer quality standards. In technology and service alike.

#### All-Way-Blade, tiller and tracks



The All-Way-Blade is completely restored separately — metal damage is repaired, and the blade is repainted and given new piping. The old tracks and the tiller are disposed of. The vehicle gets new combined tracks, an Alpine or ParkFlexTiller (a new tiller if built in 2007 or earlier, a reconditioned tiller if built from 2008 onwards).

## **New vehicle warranty**




PistenBully 600 Select get the full factory warranty like all new vehicles: under the basic warranty – spare parts are supplied and damaged parts are repaired free of charge in the first year / 1,000 operating hours\*, and the costs of the removal and installation work and travel costs (500 operating hours) are covered by Kässbohrer. In the second year / 2,500 operating hours\*, spare parts are supplied and damaged parts are repaired free of charge under the so-called "component warranty".

PistenBully 600 Select – a sensible investment.
You'll find a selection of fresh Select vehicles on our website: www.pistenbully.com/select












Powerful, young and beautiful – the PistenBully 600 Select once again cuts a perfect figure on the slopes.

# **Technical data**

# PistenBully 600 / 600 W Select





Engine	600	600 W
Туре	Mercedes-Benz OM 460 LA	
No. of cylinders	6	
Displacement	12.8 l / 3.38 gal	
	12,800 ccm /	781.11 cu.in
Power output (ECE)	295 kW / 400 hp	
Exhaust emissions standard	Euro 3A and EPA TIER 3	
Max. torque	1,900 ft lb at 1,300 rpm	
Tank capacity	220 l / 58.1 gal	
Additional tank	80 l / 21 gal	
Fuel consumption	from 20 l/h / 5.3 gal	
Drive pump	140 ccm / 8.54 cu.in	
Traction drive	107 ccm / 6.53 cu.in	
Tiller drive	105 ccm / 6.41 cu.in	

Driving characteristics	600	600 W
Speed	0 – 23 km/h	0 – 20 km/h
	continuously	continuously
	variable	variable
Speed with winch in action	_	0 – 18 km/h
		0 – 18 km/h 0 – 11 mph
Gradeability	up to 120 %	
Turning radius	on-the-spot	

Electrics	600 600 W	
Low-voltage system	24 V	
Alternator	28 V / 140 A	
Batteries	2 x 12 V / 135 Ah	
Cold start rating	600 A	

Lightning	600	600 W
Front	4 xenon front-headlights	
Rear	2 xenon rear-headlights	
Lateral	2 TreeLine lights	
Search headlight	Twin bulb spotlight	
Front working lights	2 Xenon lights	







Cabin	600	600 W
ROPS certified	y	es
Driver's seat	adjustable, air-s	prung, heated
Operating elements	10.4" touchscreen	
Glass	Front, rear and side	
	windows heated	
Rear mirrors	heated	
Wipers	cooling-water heated	

Options	600	600 W
hydraulically foldable sideflaps	optional	
Front high pressure connection	optional	
Solid tires	series	
Harness belt	_	series

Winch superstructure		600 W
Rope pull	continuously variable	40 kN / 4,000 kp
Rope diameter		11 mm / 0.4"
Rope length		1,050 m / 3,450 ft
usable rope length		1,000 m / 3,280 ft
Rope breaking strain	1	105 kN / 10,500 kp
Weight (winch, rope	and superstructure)	2,010 kg / 3,748 lbs

Weights		600	600 W
Tare weight	with combined tracks	8,500 kg	10,200 kg
		18,740 lbs	22,488 lbs
	with steel tracks	9,150 kg	10,850 kg
		20,170 lbs	23,920 lbs
	with X-Track	8,000 kg	9,700 kg
		17,640 lbs	21,385 lbs
Gross weigh	t limit	12,500 kg	13,500 kg
		27,556 lbs	29,762 lbs
Payload on p	latform without winch	1,500 kg	2,500 kg
		3,307 lbs	5,510 lbs


Dimensions		600 / 600 W
Width	without tracks	2,500 mm / 98,4"
	over combined tracks / steel tracks	4,206 mm / 165.6"
	over X-Track chain	3,146 mm / 124"
	over tiller with intermediate flaps	5,500 mm / 216.5"
	over tiller and foldable sideflaps	6,400 mm / 252"
Blade	Width with wings opened	5,260 mm / 207"
	Width with wings closed	4,420 mm / 174"
	Height	1,000 mm / 39.4"
Height	overall height	2,880 mm / 113.4"
	600 W above winch ready	3,280 mm / 129.1"
	for operation	
	when driver's cabin tilted	3,360 mm / 132.2"
Ground clearance	e	350 mm / 13.8"
Length	with blade and tiller	9,130 mm / 359.4"
Load area	Length	2,250 mm / 88.6"
	Width	1,920 mm / 75.6"
Suggested	Length	11,000 mm / 433"
garage	Width	6,000 mm / 236"
dimensions	Height	3,500 mm / 138"





# **Technical data**

# PistenBully 600 Polar / 600 W Polar Select





Engine	600 Polar	600 W Polar	
Туре	Mercedes-Bei	Mercedes-Benz OM 460 LA	
No. of cylinders	(	5	
Displacement	12.82   /	3.39 gal	
	12,820 ccm /	781.32 cu.in	
Power output (ECE)	360 kW / 490 hp		
Exhaust emissions standard	Euro 3A and EPA Tier 3		
Max. torque	2,200 ft lb at 1,300 rpm		
Tank capacity	220 l / 58.1 gal		
Additional tank	80 l / 21 gal		
Fuel consumption	from 20 l/h / 5.3 gal		
Drive pump	140 ccm / 8.54 cu.in		
Traction drive	107 ccm / 6.53 cu.in		
Tiller drive	105 ccm / 6.41 cu.in		


Driving characteristics	600 Polar	600 W Polar
Speed	0 – 23 km/h	0 – 20 km/h
	continuously	continuously
	variable	variable
Speed with winch in action	_	0 – 18 km/h
		0 – 18 km/h 0 – 11 mph
Gradeability	up to 120%	
Turning radius	on-the-spot	

Electrics	600 Polar	600 W Polar
Low-voltage system	24 V	
Alternator	28 V / 140 A	
Batteries	2 x 12 V / 135 Ah	
Cold start rating	600 A	

Lightning	600 Polar	600 W Polar	
Front	4 xenon fror	4 xenon front-headlights	
Rear	2 xenon rea	2 xenon rear-headlights	
Lateral	2 TreeLine lights		
Search headlight	Twin bulb spotlight		
Front working lights	2 Xenor	2 Xenon lights	







Cabin	600 Polar	600 W Polar
ROPS certified	yes	
Driver's seat	adjustable, air-sprung, heated	
Operating elements	10.4" touchscreen	
Glass	Front, rear and side	
	windows	heated
Rear mirrors	heated	
Wipers	cooling-water heated	

Options	600 Polar	600 W Polar
hydraulically foldable sideflaps	optior	nal
Front high pressure connection	optior	nal
Solid tires	seri	es
Harness belt	-	series

Winch superstructure		600 W Polar
Rope pull	continuously variable	40 kN / 4,000 kp
Rope diameter		11 mm / 0.4"
Rope length		1,050 m / 3,450 ft
usable rope length		1,000 m / 3,280 ft
Rope breaking strain	1	105 kN / 10,500 kp
Weight (winch, rope	and superstructure)	2,010 kg / 3,748 lbs

Weights		600 Polar	600 W Polar
Tare weight	with combined tracks	8,500 kg	10,200 kg
		18,740 lbs	22,488 lbs
	with steel tracks	9,150 kg	10,850 kg
		20,170 lbs	23,920 lbs
	with X-Track	8,000 kg	9,700 kg
		17,640 lbs	21,385 lbs
Gross weigh	t limit	12,500 kg	13,500 kg
		27,556 lbs	29,762 lbs
Payload on p	latform without winch	1,500 kg	2,500 kg
		3,307 lbs	5,510 lbs

Dimensions		600 Polar / 600 W Polar
Width	without tracks	2,500 mm / 98,4"
	over combined tracks / steel tracks	4,206 mm / 165.6"
	over X-Track chain	3,146 mm / 124"
	over tiller with intermediate flaps	5,500 mm / 216.5"
	over tiller and foldable sideflaps	6,400 mm / 252"
Blade	Width with wings opened	5,510 mm / 216.9"
	Width with wings closed	4,600 mm / 181.1"
	Height	1,180 mm / 46.5"
Height	overall height	2,880 mm / 113.4"
-	600 W Polar above winch	3,280 mm / 129.1"
	ready for operation	
	when driver's cabin tilted	3,360 mm / 132.2"
Ground clearanc	e	350 mm / 13.8"
Length	with blade and tiller	9,130 mm / 359.4"
Load area	Length	2,250 mm / 88.6"
	Width	1,920 mm / 75.6"
Suggested	Length	11,000 mm / 433"
garage	Width	6,000 mm / 236"
dimensions	Height	3,500 mm / 138"





# **PistenBully Service**

# 365 days a year, 24 hours a day: our global network is always there for you.

#### Local service

We know what the breakdown of a snow groomer means to a ski resort. That's why Kässbohrer Geländefahrzeug AG has been investing for decades in a sophisticated, fast-response and globally available service network, which guarantees the availability of service engineers and original spare parts within 24 hours. We now have over 130 service stations and agencies around the world. Because smooth, cost-effective operations are the top priority.

#### Advice and training

PistenBully is your partner when it comes to economical use of materials and resources for your fleet. We offer a comprehensive concept of advice and training that will help you to produce the perfect slopes. Technician training ensures your independence and also enables you to perform repairs quickly right in the ski resort.

#### **Exchange experiences**

We share your passion. And we continually exchange experiences with ski resort operators, slope managers and drivers to make sure we're aware of your needs and wishes and to incorporate these in the development of our PistenBully.

You'll find more information on our service concept at: www.pistenbully.com/service









# **PistenBully. For the snow of tomorrow. Quality, reliability and innovation for over 40 years.**

You only get better than "good" with genuine passion and a strong team. A passion for engines, machines and technology is inextricably linked to the Kässbohrer business. Our success is essentially based on these foundations: good ideas that lead to new solutions and a skilled and dedicated team. Our corporate culture encourages a positive innovative climate and enables us to expand our market leadership with fascinating products of the highest quality and reliability.





# **Blue IQ**

# A responsible future


BLUE IQ is Kässbohrer Geländefahrzeug AG's philosophy designed to ensure a responsible approach to the future.

As the world market leader we are convinced that technical innovations must be incorporated into integrated concepts if they are to be sustainable. That's why we combine the economic, environmental and social interactions of winter sport in our 360° approach. The result is a well-thought-out and coordinated portfolio. For more customer benefits, greater cost-effectiveness and a better environment.

The PistenBully 600 Select are an essential part of BLUE IQ. With PistenBully Select we double the service life of the product by reconditioning the vehicle and, in so doing, achieve notable savings in valuable resources and energy. The customer benefits from a high-quality product at an attractive price.



20



PistenBully



#### The global PistenBully Service network

#### Kässbohrer Geländefahrzeug AG

Kässbohrerstraße 11 88471 Laupheim Telephone +49 (0)7392 900-0 Telefax +49 (0)7392 900-445 info@pistenbully.com www.pistenbully.com

#### Italian branch

Kässbohrer Geländefahrzeug AG Via Galileo Galilei, 32 39100 Bolzano Telephone +39 0471 93-3027 Telefax +39 0471 93-2975 info@pistenbully.it www.pistenbully.it

#### Austrian branch

Kässbohrer Geländefahrzeug AG Garnei 173 5431 Kuchl Telephone +43 (0)6244 400-10 Telefax +43 (0)6244 400-111 office@pistenbully.at www.pistenbully.at

#### French subsidiary

Kässbohrer E.S.E.
455 Route de Marais
ZAC Porte de Tarentaise
73790 Tours-en-Savoie
Telephone +33 (0)479 1046-10
Telefax +33 (0)479 1046-40
info@pistenbully.fr

#### Swiss branch

Kässbohrer Geländefahrzeug AG Bruneggerstraße 45 5103 Möriken Telephone +41 (0)62 88770-50 Telefax +41 (0)62 88770-51 info@pistenbully.ch

#### American subsidiary

Kässbohrer All Terrain Vehicles Inc. 8850 Double Diamond Parkway 89521 Reno, Nevada Telephone +1 (0)775 857-5000 Telefax +1 (0)775 857-5010 contact@pistenbullyusa.com www.pistenbullyusa.com



About the details in this catalogue: Changes may have been made to the product after the time of this brochure going to press. The images also contain accessories and special equipment that are not supplied as standard. Slight variations in colour may occur as a result of the printing process. Any statements regarding the statutory, legal and tax regulations and their effects are only valid for the Federal Republic of Germany. For the definitive latest version, please ask your contact at Kässbohrer Geländefahrzeug AG. Printed in Germany on chlorine-free bleached paper.



PistenBully is a registered trademark of Kässbohrer Geländefahrzeug AG.





This company is ISO 14001 and ISO 9001 certified.