from series 2024



Ready to

REMOVE

TECHNICAL SPECIFICATIONS

BeachTech Marina





BeachTech®

BeachTech Marina

Engine power
33 kW | 42 hp (2.000 rpm)

Working width
1.400 mm

Hopper volume
0,5 m³

Area coverage
up to 16.800 m²/h



Cleaning method	**patented raking-/ screening-/ mixed technique**	
Engine	**type**	Kubota, Turbodiesel
	number of cylinders	4
	Capacity	1.498 cm³
	power output / torque	33 kW (42 hp) / 120 Nm @ 2.000 rpm
	emission standards	available: EU stage III A; EPA Tier4 i
Drive	**hydrostatic all-wheel drive**	
Dimensions	**vehicle lenght, road transport**	5.785 mm
	vehicle width, road transport	1.770 mm
	working width	1.400 mm
	vehicle height	2.340 mm
	unloading height collecting hopper	1.635 mm
Tires	**low pressure tires, wide (standard)**	480/45 x 17
Weight	**empty weight**	2.775 kg
	technically permissible total weight*	3.500 kg
Tank capacity	**Diesel**	50 l
	hydraulic oil	50 l
Performance	**area coverage up to****	16.800 m²/h
Working depth	**working depth up to****	30 cm
Capacity	**collection hopper**	0,5 m³
Speed	**operating speed max.****	12 km/h
	road traffic*	32 km/h

* according to local traffic regulations

** depending on soil / beach conditions

Subject to change in the course of technical development. The images shown are for illustration purposes only and may may contain optional extras.

dealer stamp

BeachTech®
Tel.: +49 7392 900 - 461
E-Mail: info@beach-tech.com
www.beach-tech.com

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com