

PV Series

Spreader

Ideal for both municipal and professional contractor applications, the PV Series includes V-Box insert spreaders designed for a wide range of vehicles, including medium-duty and light-duty pickups, with options that also accommodate UTVs. This versatile spreader provides road and parking lot crews with a durable, reliable solution, featuring many maintenance-free components that minimize downtime and reduce the need for regular upkeep.

Highlights

- **Versatile design** options that work with medium duty and light duty, pickup, and flatbed trucks and UTVs
- Available in **Hydraulic**, **Electric** and **Engine** (Briggs, Stratton and Honda), with **drag chain or belt over chain conveyor** choices
- Light poly spinner has formed handles and quick pin connector for **fast attachment and removal**
- Bolt-in replaceable floor is **easy to maintain**
- Available in **3 to 8-foot hopper lengths**

Your benefits

- **Maintenance-free materials** provide added strength and durability to protect against harsh weather and corrosive chemicals
- Full length rubber chain shields **eliminate leaking material**
- Second chain wiper **removes residual material** on the drag chain bar flights
- Tapered feedgate operates smoothly every time
- Low profile design and adjustable heights **work with most light pickups and UTVs**
- **Drop-n-Loc style** sectional top screens are easier to remove and feature corner lift points for safer lifting. Recessed edges prevent interference from added accessories.

This document has been machine-translated from the original German version.

Performance features

Concept

Built to withstand the rigors of demanding environments, the PV Series ensures consistent performance even in the harshest conditions. It offers an efficient and cost-effective choice for snow and ice management. Its user-friendly design further enhances its appeal for everyday use in a variety of settings.





Options

The Swenson PV Series is also available with the following options:

- Tarp kit
- Side extensions
- Vibrator kit
- Tie-down kit

Related products

MDV Series

Spreader



This document has been machine-translated from the original German version.



Swenson products are designed for reliable performance in demanding conditions, ensuring safe and efficient operations throughout the year.

Technical data

	LPV	PV	Polyhawk
Hopper			
Hopper capacity	0.23 - 0.38 m³*	1.15 - 1.53 m³*	1.15 - 1.53 m³*
Conveyor system			
Conveyor system	Belt over chain	Drag chain / Belt over chain	Drag chain
Distribution system			
Distribution systems	Poly spreading disc: Spreading disc diameter: 36 cm Spreading width: 914 cm	Poly spreading disc: Spreading disc diameter: 36 cm Spreading width: 914 cm	Poly spreading disc: Spreading disc diameter: 36 cm Spreading width: 914 cm
Mounting/demount system			
Mounting/demount system	Fixed-mounted	Fixed-mounted	Fixed-mounted
Drive system			
Type of drive	electric / Hydraulic / Engine drive	gas / electric / Hydraulic / Engine drive	Hydraulic / gas / Engine drive
Dimensions			
Hopper length	914.4 - 1,524 mm*	1,828.8 - 2,438.4 mm*	1,828.8 - 2,438.4 mm*
Hopper width	1,270 mm*	1,270 mm*	1,270 mm*
Hopper height	889 mm*	889 mm*	889 mm*

aebi schmidt group

Aebi Schmidt Holding AG
Lindbergh-Allee 1
CH-8152 Glattpark, Switzerland
Phone: +41 44 308 58 00
www.aebi-schmidt.com

© Aebi Schmidt Group
All rights reserved.
Technical data is subject to change.
Illustrations are not binding.
Errors and amendments excepted.

Document created on 10 JUL 2026

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com