PERFECT SNOW FOR IMPERFECT CONDITIONS



L60

ALL-WEATHER SNOWMAKING TECHNOLOGY

latitude



QUALITY SNOW THAT JUST KEEPS COMING AND COMING.

L60

A REAL POWER TRIP



The L60's production capacity is pretty eye-popping: 120 cubic meters (156 cubic yards) every 24 hours. That's 2 x 30 tons of automatic snow production with a total water consumption of 42 L/min (11 us/gal). This unit has two outlets that can each blow snow up to 100 m (328 ft.). Fully automatic and remotely controlled.

REFRIGERATION	Two 30MT flake-ice evaporators with their own refrigeration system and high-capacity air condenser with fan speed optimization. Can run either unit independently or both at same time. All in a 40 ft. HC container.
SNOW PRODUCTION	With water at 5 °C and an outside temperature of 15°C, the snowmaking machine at full capacity will produce 120 m^3 to 132m^3/24h (156 to 172 cubic yards)
WATER CONSUMPTION	42 L/min. (11.09 US gal/min.) at 3 bars. Only water is used; no chemical additives.

ENERGY CONSUMPTION	Power supply: For 480v, 3ph, 60hz (different power supply options are available) Running power: 139 Kw; 210 A Note: The energy consumption data showed is when the two propulsion systems blow snow at a distance of 100 m. Energy consumption is reduced if you blow up to 50 m.
AUTOMATION	A system that is exceptionally easy to use Remote control of the machine on a smartphone, computer or tablet Alarm notifications on smartphones A camera allows users to view the snowmaking process and where the snow is blown outside
REFRIGERANT	120 kg of R448-A A new generation of ozone-free and non-toxic refrigerant

If you would like more information on SMI and Latitude 90, please visit snowmakers.com and latitude90.ca. Have questions about our products? Contact Brooke VanderKelen Alba at brooke@snowmakers.com

FOLLOW US ON SOCIAL MEDIA! @LATITUDE90INC @LATITUDE90_SNOWMAKING @LATITUDE90

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com