PERFECT SNOW FOR IMPERFECT CONDITIONS



L120

ALL-WEATHER SNOWMAKING TECHNOLOGY

latitude 9c



QUALITY SNOW THAT JUST KEEPS COMING AND COMING.

L120

DOUBLE THE POWER. DOUBLE THE FUN.



The L120's production capacity is pretty eye-popping: 240 cubic meters (312 cubic yards) every 24 hours. That's 4 x 30 tons of automatic snow production with a total water consumption of 84 L/min (22 US/gal). This unit has outlets that can each blow snow up to 100 m (328 ft.). Fully automatic and remotely controlled.

REFRIGERATION	Four 30MT flake-ice evaporators with their own refrigeration system and high-capacity air condenser with fan speed optimization. Can run either unit independently or both at same time. All in a 40 ft. HC container.
SNOW PRODUCTION	With water at 5°C and an outside temperature of 15°C, the snowmaking machine at full capacity will produce 240 m^3 to 264m^3/24h (312 to 344 cubic yards)
WATER CONSUMPTION	84 L/min. (22 US gal/min.) at 3 bars. Only water is used; no chemical additives.

ENERGY CONSUMPTION	Power supply: For 480v, 3ph, 60hz (different power supply options are available) Running power: 278 Kw; 420 A Note: The energy consumption data showed is when the propulsion systems blow snow at a distance of 100 m.
AUTOMATION	A system that is exceptionally easy to use Remote control of the machine on a smartphone, computer or tablet Alarm notifications on smartphones A camera allows users to view the snowmaking process and where the snow is blown outside
REFRIGERANT	240 kg of R448-A A new generation of ozone-free and non-toxic refrigerant

If you would like more information on SMI and Latitude 90, please visit snowmakers.com and latitude90.ca. Have questions about our products? Contact Brooke VanderKelen Alba at brooke@snowmakers.com

FOLLOW US ON SOCIAL MEDIA! @LATITUDE90INC @LATITUDE90_SNOWMAKING @LATITUDE90

SMI Snow Makers
SMI COVERS THE WORLD

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com