

Base Line - Tailgates

Spreader

When it comes to ice control, Meyer® Base Line tailgate spreaders are a solid choice for road maintenance managers and contractors. They easily attach to vehicles with a 2-inch receiver hitch, making them compatible with most SUVs, light pick-up trucks, tractors, and utility vehicles. Designed for small to medium-sized tasks, the Base Line series is a reliable solution for keeping walkways and driveways ice free.

Highlights

- Made of **rust-proof, high-density polyurethane**
- **Seamlessly integrates with SUVs, light pick-up trucks, tractors, and utility vehicles** with a 2-inch receiver hitch.
- **The 1/6 hp direct drive motor and variable speed controller** gives a spread width of up to 25 feet for precise control, perfect for bagged rock salt.
- Patented **coarse brush auger ensures an even distribution of material**, including bagged rock salt.

Your benefits

- **Versatile**: Easy attachment system give you flexibility based on job size and vehicle types.
- **Efficient**: The direct drive motor and variable speed controller ensure a steady and controlled spread of de-icing agents, including large chunks of material.
- **Durable**: Heavy-duty polymer construction and powder-coated frame mean for years of service.
- **Convenient**: Intuitive in-cab controller offers easy adjustments for spread patterns and speeds

This document has been machine-translated from the original German version.

Performance features

Hopper

The Meyer Base Line spreader is available with a capacity of 400 lbs. The material hoppers features long-lasting, rust-proof, high-density polyurethane construction and a locking, moisture-resistant lid designed to prevent leakage of de-icing agent.
Each model attaches using a class-3, 2-inch receiver hitch, and the carbon steel hopper frame is powder-coated to prevent rust. The integrated, tubular-steel motor guard both protects the motor and serves as a storage stand during the off-season.





In-Cab Controller

The Base Line series has an easy-to-use, touch-pad controller, allowing for precise control over spread patterns of up to 25 feet. Using the „faster“ button quickly adjusts the speed - fast, slow, and vibrating (using the optional vibrator accessory) - and is easily visible on the controller‘s display.



Related products

Drive Pro
Snow plough



Lot Pro
Snow plough



Blaster
Spreader



This document has been machine-translated from the original German version.



At Meyer, every plow is built with high-quality materials and precision craftsmanship, backed by the industry's best 5-year warranty. Reliability you can count on, all winter long.

This document has been machine-translated from the original German version.

Technical data

Hopper	
Hopper capacity	0.18 m^3*
Dimensions	
Hopper width	711.2 mm*
Weights	
Empty weight approx.	46.72 kg*

aebi schmidt group

Aebi Schmidt Holding AG
Lindbergh-Allee 1
CH-8152 Glattpark, Switzerland
Phone: +41 44 308 58 00
www.aebi-schmidt.com

© Aebi Schmidt Group
All rights reserved.
Technical data is subject to change.
Illustrations are not binding.
Errors and amendments excepted.

Document created on 30 JUL 2026

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com