

Lot Pro

Snow plough

The Meyer® Lot Pro™ is the perfect choice for professional snow removal contractors, as well as municipalities, offering precision-engineered performance for clearing large parking areas and city streets swiftly and effectively. The Lot Pro is available in a variety of sizes for light and medium-duty trucks and utility vehicles. Its design and user-friendly features make for hassle-free ploughing , even in the toughest winter conditions.

Highlights

- Available in a **variety of sizes for use with most light or medium-duty trucks**
- **Tallest mould-board** in its class
- **75-degree attack angle** for better overall snow clearing and superior back-dragging

Your benefits

- **Efficient**: better and more efficient snow removal in practically all conditions.
- **User-Friendly**: self-diagnostics and hands-free ploughing lets users safely focus on the task at hand without interruptions.
- **Maneuverable**: nimble ploughing without compromising on effectiveness.

Performance features

Plow blade

Lot Pro ploughs are available in a variety of lengths to seamlessly mount on larger trucks. With a 32” mould-board and aggressive 75° angle of attack, the Lot Pro is the partner to clear those large parking areas when the call for service comes in. Available in steel or roto-moulded poly.

The Lot Pro LD model is specifically designed for pickup trucks equipped with a snow plough prep package. Its 7.5’l x 28”h steel mould-board and 75° attack angle gives residential contractors a lightweight, commercial-grade snow removal tool.





Mounting System

The **Meyer Pro Mount** attachment system was designed to be easy to use. In fact, the **hydraulic switch simplifies attaching and detaching the blade**, requiring less precise alignment between the plough and the truck.
The spring tension release latches allow quick and easy mounting or dismounting of the blade from Meyer’s renowned truck mount and clevis pin, all from the side of the plough.
The Pro Mount eliminates the need for lifting chains, which reduces the need for replacement parts, and industry-standard power components feature automotive-style connectors for increased reliability.
The Pro Mount boasts a solid cylinder that stays rigid during use, minimising the bouncing that can damage both the plough and the truck, and ensures the appropriate downward pressure for superior ploughing and back-dragging capabilities.

Gallery













Related products

Diamond Edge

Snow plough



Super-V3

Snow plough



Super Blade

Snow plough



Technical data

	LP 7‘6“	LP 8‘	LP 8‘6“
Construction			
Number of cellasto springs	4	4	4
Dimensions			
Plough height	813 mm	813 mm	813 mm
Total width	2,286 mm	2,438 mm	2,591 mm
Operational Dimensions			
Clearing width	2,057 mm one-sided blade	2,184 mm one-sided blade	2,337 mm one-sided blade
Weights			
Approx weight	351 kg	372 kg	379 kg

	LP 9‘	LP LD 7‘6“
Construction		
Number of cellasto springs	4	2
Dimensions		
Plough height	813 mm	711 mm
Total width	2,743 mm	2,286 mm
Operational Dimensions		
Clearing width	2,464 mm one-sided blade	one-sided blade
Weights		
Approx weight	382 kg	261 kg

aebi schmidt group

Aebi Schmidt Holding AG
Lindbergh-Allee 1
CH-8152 Glattpark, Switzerland
Phone: +41 44 308 58 00
www.aebi-schmidt.com

© Aebi Schmidt Group
All rights reserved.
Technical data is subject to change.
Illustrations are not binding.
Errors and amendments excepted.

Document created on 17 JUL 2026

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com