A brand of ASH

Consistent and Reliable Spreading Performance


From the front of the hopper, to the spinner and chute assemblies which are available in four different sizes, *SELECT* spreaders are designed to provide superior spreading performance.

No Maintenance Hopper

The redesigned hopper is lighter, stronger and more stable. It includes new features like formed floor supports, body jacks with integrated tie downs, and a universal longitudinal design for interchangeability of drives across the ***SELECT*** line.



Hopper
Lighter hopper available in carbon steel or maintenance-free stainless steel.



Material Delivery
Design improvements to the inverted V center the material weight for more stability and safety while driving on winter roads.

Consistent Material Delivery

Conveyor options include drag chain or belt-over-chain that delivers a consistent output of material, while not leaking into the hopper. The MDV is also available with an auger drive.

Exclusive Spinner System

A new, lighter poly spinner – in four sizes – makes attaching and detaching a breeze across the ***SELECT*** line. The innovative poly disc has a coned center hub that is better balanced and prevents material build-up in the spinner.



Spinner Chute
Forward handles and pins for easy on/off.



Wireless Controller
Control the engine speed using touchpad buttons.

Wireless Control*

The wireless controller remotely allows the engine speed to throttle up, down and choke as well as turn on and off.

Built with Safety in Mind

SELECT spreaders are CE certified. Safety features include a material top screen, enclosure for front bearing, drive chain guard, integrated fork-lift pockets, a work light, brake light, and poly engine shroud with integrated gas springs.

Performance Enhancing Optional Equipment

To make the Swenson ***SELECT*** spreaders more versatile, the following optional equipment is available: tarp kit, side extensions, vibrator kit, pre-wet system and tie-down kit



Gas Springs**
The gas springs hold the engine shroud in the open position during refueling and maintenance.



Side Extensions
Optional side extensions quickly increase hopper capacity.

*Wireless not available with dual motor electric or hydraulic models. Dual electric is hardwired only.

**Available on gas engine models only.

11/2017 ©Swenson Spreader LLC. Printed in U.S.A.

www.swensonproducts.com

Swenson

Swenson Spreader LLC
127 Walnut St.,
Lindenwood, IL 61049
Phone: 815-393-4455
Fax: 815-393-3320

Swenson Spreader LLC reserves the right, under its continuing product improvement program, to change construction or design details, specifications and prices without notice or without incurring any obligation.

Swenson

SELECT™ Series Insert Spreaders

Designed to Reduce Maintenance and Increase Productivity



For Medium- and Light-Duty Vehicles

SELECT Series Insert Spreaders

Virtually Maintenance-Free and Easy to Use



LPV-*SELECT*



PV-*SELECT*

LPV-*SELECT*
FOR UTILITY VEHICLES AND LIGHT PICK-UP TRUCKS

Hopper Capacity
3 ft. Hopper – 0.3 cu. yd.
5 ft. Hopper – 0.5 cu. yd.

Spread Width
Up to 30 Feet

Hopper
Carbon Steel
Maintenance-Free Stainless Steel

Drive
Hydraulic
Dual Motor Electric

Conveyer
Belt-Over-Chain

Warranty
Poly Bearings – 10 Years
Spreader – 1 Year

PV-*SELECT*
FOR LIGHT- AND MEDIUM-DUTY PICK-UP TRUCKS

Hopper Capacity
6 ft. Hopper – 1.5 cu. yd.
8 ft. Hopper – 2.0 cu. yd.

Spread Width
Up to 30 Feet

Hopper
Carbon Steel
Maintenance-Free Stainless Steel

Drive
Hydraulic
Dual Motor Electric
Gas

Conveyer
Drag Chain
Belt-Over-Chain

Warranty
Poly Bearings – 10 Years
Spreader – 1 Year

MDV-*SELECT*
FOR MEDIUM-DUTY PICK-UP TRUCKS

Hopper Capacity
8 ft. Hopper – 3.5 cu. yd.
9 ft. Hopper – 4.0 cu. yd.
10 ft. Hopper – 4.5 cu. yd.

Spread Width
Up to 30 Feet

Hopper
Carbon Steel
Maintenance-Free Stainless Steel

Drive
Hydraulic
Dual Motor Electric
Gas

Conveyer
Drag Chain
Belt-Over-Chain
Auger (Electric Drive Only)

Warranty
Poly Bearings – 10 Years
Spreader – 1 Year



MDV-*SELECT*

The Swenson Legacy Lives On

For more than 80 years, Swenson has provided the state, municipal and contractor markets with the most innovative and best-performing ice control equipment in North America. Our new line of Swenson ***SELECT*** Insert Spreaders for light- and medium-duty vehicles embodies this long tradition of innovation and high performance.

Designed to Outperform the Competition

We're proud to introduce our NEW line of insert spreaders. We've improved the line-up to make them easier to use, virtually maintenance free, and reliable as ever. All Swenson ***SELECTS*** are built right here in the United States and meet the highest of quality standards. Each new component was tested for more than 300 cumulative hours to ensure consistent performance, every time you use the product.

Spend Time On The Job, Not Maintaining Equipment

The less time spent adjusting or cleaning is more time spent on the job. And because we use maintenance-free materials in the construction of our spreaders, they are lighter and more resistant to harsh weather and damaging chemicals.

- The hopper is lighter, stronger and more stable. It has ZERO items that need to be maintained.
- The poly drive and idler bearings are maintenance free and carry a 10-year warranty. Poly engine shrouds and covers protect the drive mechanicals from damaging elements.
- Full-length, rubber-chain shields eliminate leaking materials.
- The spinner assembly is constructed of maintenance-free poly for a long life.

Safer and Easier To Use

Our patented, inverted-V conveyer shield is now tapered. This design moves the center of gravity to the center of the truck's chassis and makes the vehicle more stable on slippery roads. Operators will appreciate other new design features that will make their jobs easier.

- The addition of a tensioner to the drive chain keeps consistent tension on the spring, eliminating frequent stops to make manual adjustments.
- New sectional top screens are easier to lift and remove, and recessed edges protect from damage.
- The spinner chute, available in four height options, has a spring-loaded shaft connector that always keeps the spinner engaged.
- Formed handles and spring pins make the assembly easy to attach or remove in just a few seconds.

888.825.7323
swensonproducts.com

swenson

TELEMET

Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com