BT Sweepy

FROM 2026 SERIES

Walk behind beach cleaner with mechanical drive



Engine horse power **7.5 kW / 10.2 hp**	Working width **1,050 mm**
Hopper volume **44 l**	Area coverage **up to 4,200 m²/h**

PRODUCT-KEY FEATURES

- **Handy and flexible:** Perfect for smaller sand areas and beach sections with many obstacles.
- **Multifunctional:** The quick change system can turn the machine from a beach cleaner into a snow removal tool, lawn mower, street sweeper and many other devices quickly and easily.
- **High cleaning quality:** Cleans effectively, even when the sand is wet.

TECHNICAL DATA

Cleaning method	Sand screening by counter-rotating and replaceable double screens *	
Engine	Type	4-stroke petrol engine, with air cooling
	Power output	7.5 kW / 10.2 hp
Drive	Mechanical drive with 3 forward and 3 reverse gears	
Steering	By means of built-in freewheel clutch and a differential	
Modular quick-change system	Quick and easy attachment of optional accessories.	

* additional screen widths available as an option

BeachTech®

BT Sweepy



TECHNICAL DATA

Working width		1,050 mm
Performance	Area coverage up to **	4,200 m²/h
Working depth	Working depth up to **	120 mm
Capacity	Collection hopper	44 l, extractable
	Additional bins	36 l
	Total	80 l
Speed	Operating speed max. **	6.5 km/h
Corrosion protection	Cathodic Dip Coating, fiberglass-reinforced plastic parts, aluminum parts	

** depending on nature of the ground

DIMENSIONS

Vehicle lengths		2,550 mm
Vehicle width		1,195 mm
Vehicle height	Handlebar height adjustable from approx.	600 mm to 1,400 mm

TIRES

Tires	Wide tires

WEIGHT

Empty weight	375 kg

COMPATIBLE ATTACHMENTS

Application areas for mowing, mulching and soil tilling	
Rotary Mower	Cutter bar
Rotary tiller	Flail mower
Application areas for cleaning and green area maintenance	
Street sweeper	Weed remover
Leaf and waste vacuum cleaner	Garden pump and weed sprayer
Application areas for winter service	
Snowblower	Snowplow
Sand, salt, grit and fertilizer spreader	
Other application areas	
Garden shredder	Front transport trough
Path maintenance machine	
Further attachments available on request	

VENDOR STAMP

Subject to change in the course of further technical development. The images are for illustrative purposes only and may include optional extras.

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com