

MB2

Runway clearing

Technical data

Working speed	
Working speed up to	45 mph
Drive system - ground drive engine	
Motor type	Caterpillar C13B
Number of cylinders	6
Exhaust emmission	U.S. EPA Tier 4 Final
Performance	496 HP
Torque	1,671 ft-lbs
Fuel tank	150 gal
Working hours, depending on the operating conditions	12 h
Optional sprayer	
Filling volume	1,500 gal / 2,500 gal
Spraying width	50‘ / 75‘
Distribution system	Spray nozzles
Optional spreader	
Filling volume	5.9 yd^3
Spreading width (solid) approx.	50‘
Distribution system	Dual spinner
Dimensions	
Total length	36‘ 3“
Length without Snow plow	27‘ 8“
Length middle of front axle to middle of rear axle	15‘ 6“
Transport width, in parking position	8‘ 11“
Height	11‘ 11“

Dimensions plow	
Plow width	22‘ / 24‘
Plow height	50“
Cutting edge	steel / poly / rubber / carbide
Plow hitch style	hands free
Moldboard style	straight / flared
Weights	
Total weight	71,906 lbs dry weight

aebi schmidt group

Aebi Schmidt North America Inc.
201 MB Lane
Chilton, WI 53014, USA
Phone: +1 800 558 5800
www.aebi-schmidt.com

© Aebi Schmidt Group
All rights reserved.
Technical data is subject to change.
Illustrations are not binding.
Errors and amendments excepted.

Document created on 28 JUL 2026

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com