

Aebi | Combicut double wheel system

Quick and easy - attach double wheels in just a few seconds

Fitting and changing double wheels on our single-axle mowers has never been so quick and easy. Thanks to a robust, sophisticated adapter system, the double wheels can be fitted in no time at all - compatible with existing tyres and the new pneumatic spiked tyres.

The double wheel system from Aebi

- The new spacer **enables double wheels to be fitted in just a few seconds** with just one screw.
- One-time pre-installation of the base plate with the base wheel, then the **double wheels are easily mounted/dismounted using the central screw**.
- The double wheels **fit onto the spacer from both sides** to vary the desired outer width.
- There are **no scratches or damage to the rims**. The forces of the double wheel are absorbed directly by the machine without loading the rim of the base wheel.
- Aebi standard rims and **existing tyres are compatible**.



Application instructions

1 Attach base plate



2 Place spacer on base plate



3 Fit and screw double wheel



4 Further wheel changes



One-off preparation

in a few seconds

Tyre variants small CC-series

The models illustrated show an selection of the available tyre variants for the CC 36, 120 and 130 models. The double wheel system is not suitable for the CC 110 and CC 111 models.

Terra tyres



22x11.00-10

Pneumatic spiked



22x11.00-10

AS



5.00- 10

Tyre variants large CC-series

The illustrated models show an selection of the available tyre variants for the CC 56, 66, 140e, 150, 160, 151, 161 and 181 models.

Terra tyres



23x10.50-12

Terra tyres



23x8.50-12

Pneumatic spiked



23x10.50-12

AS



6.50/80-12

Turf tyres



23x8.50-12

All tyres are supplied with Aebi standard rims and can be combined with the double wheel system. Ask your Aebi market partner for advice.

The new pneumatic spiked tyres

- **High ride comfort on any surface:** the pneumatic spiked tyres absorb shocks and vibrations to the maximum, ensuring a smoother ride.
- **Perfect ground adaptation:** The tyres adapt perfectly to the ground, protect the turf and offer the best grip on the steepest terrain.
- **Compatible and retrofittable:** The pneumatic spiked tyres are supplied together with Aebi standard wheels and can be used individually or as double wheels with other existing basic tyres.



Document created on 3 MAR 2026

© Aebi Schmidt Group | www.aebi-schmidt.com
Aebi Schmidt Holding AG | CH-8050 Zurich, Switzerland

All rights reserved. Technical data is subject to change.
Illustrations are not binding. Errors and amendments excepted.

TELEMET
Efficiency Through Simplicity™

Advice, spare parts and service

Telemet · Office in Chile

Los Canteros 8723, La Reina, Santiago 7880414, Chile

Phone +56 22 356 2735

info@telemet.com

telemet.com